



WASH TUNNELS

**ISTOBAL**  
Automotive Cleaning Solutions



## Taking up the **performance challenge**

More vehicles, more speed, but the same level of quality.... Everything is possible for ISTOBAL wash tunnels, whatever your demands. Because only an ISTOBAL wash tunnel can clean up to 100 vehicles per hour, still give a thorough yet gentle wash, protect the vehicle and keep noise levels to a minimum.

The key? Developing solutions with a high degree of versatility and minimum maintenance; the wide variety of conveyor lengths available; and the possibility of including more than a hundred accessories to personalise the finish and maximise efficiency.




## A structure geared to perfection

High-tech command posts, precise dosage systems, powerful turbofans.... Istobal tunnels boast the leading-edge technology in the sector, put skilfully together, to guarantee the best possible performance.

All the systems are integrated into a rugged structure, with variable conveyor lengths to cater for the different throughput requirements. Ranging from the smallest at 9.3m., offering a wash rate of 28 vehicles per hour, up to an impressive 32m., able to wash a hundred vehicles with high quality. From the 16 models available in three different ranges, you can choose the one most suitable for your needs.





**BASIC  
RANGE**

TA

Small in size but big in results, with three models designed with the multiprogramming concept giving multiple possibilities for the end result.

As many as six different models for those looking for a medium-size wash tunnel, top performance and maximum versatility, with around a hundred optional extras available.

TB


**TOP  
PERFORMANCE  
RANGE**

The biggest in the family, these come complete with a conveyor, with a reinforced binding chain of 4", in seven different lengths and all the versatility expected of a high performance range.

TC



## Top performance installations made **to measure**



Thanks to their size, tunnels are the ideal way to see the wide variety of Istobal wash systems in action. There are up to a hundred different optional extras for a made-to-measure wash tunnel. You can opt for high-pressure pre-wash, medium pressure pre-wash or chemical spray. Improve results in key areas (wheels, the underside, etc.) with specific accessories. Or use cleaning and care products, which guarantee a machine in perfect working order and excellent results for the vehicle.





**A SOLUTION  
FOR EVERY  
NEED**



RANGE	Conveyor length m.	Chain	Number of brushes	Recommended bays			Cars/ Hour
				Height	Width	Length	
TA	9.3 m.	2"	3	3.50	4.50	15.60	28
TA	10.9 m.	2"	3	3.50	4.50	17.20	28
TA	12.5 m.	2"	3	3.50	4.80	18.80	35
TB	12.5 m.	2"	3	3.50	4.60	19.00	50
TB	14.1 m.	2"	3	3.50	4.60	20.60	50
TB	15.8 m.	2"	3	3.50	4.60	22.30	60
TB	17.4 m.	2"	5	3.50	4.60	23.90	60
TB	19.0 m.	2"	5	3.50	4.60	25.50	80
TB	20.6 m.	2"	5	3.50	4.60	27.10	80
TC	22.3 m.	4"	5	3.50	4.60	28.80	80
TC	23.9 m.	4"	5	3.50	4.60	30.40	80
TC	25.5 m.	4"	5	3.50	4.60	32.00	90
TC	27.1 m.	4"	5	3.50	4.60	33.60	90
TC	28.8 m.	4"	5	3.50	4.60	35.30	90
TC	30.4 m.	4"	5	3.50	4.60	36.90	100
TC	32.0 m.	4"	5	3.50	4.60	38.50	100

Vehicle access is up to 2.30m. high and 2.35m. wide.

Output is based on a vehicle length of 4.80m.

In order to comply with European Directive 98/37/CE, regarding machine safety, side access to a wash tunnel is expressly prohibited. ISTOBAL, S.A. offers several solutions in this respect and declines all responsibility for failure to observe this indication.

ISTOBAL, S.A., reserves the right to undertake any changes it may deem necessary for product improvement.



**ISTOBAL, S.A.** • Avda. Conde del Serrallo, 10 • 46250 L'Alcúdia (Valencia - Spain)  
Tel. (34) 96 299 79 40 • Fax (34) 96 299 79 91 • E-mail: [istobal@istobal.com](mailto:istobal@istobal.com) • [www.istobal.com](http://www.istobal.com)